

DATE: Monday, December 23, 2002    Printable Copy    Create Case

Set Name  
side by side  
Query

	Hit Count
DB=USPT,PGPB; PLUR=YES; OP=ADJ	
L27	
L26 and @pd<20001120	3
	L27
L26	
(voltage near2 low) with (((cut or turn) adj off) near2 (power near2 source))	6
	L26
L25	
(voltage near2 low) with (((cut or turn) adj off) near2 (light near2 source))	2
	L25
L24	
(voltage near2 insufficient) with (((cut or turn) adj off) near2 (light near2 source))	0
	L24
L23	
L22 and @pd<20001120	2
	L23
L22	
(low near2 voltage) with (((cut or turn) adj off) near2 (light near2 source))	2
	L22
L21	
(low near2 voltage) with (((cut or turn) adj off) near2 power)	88
	L21
L20	
L17 and ((cut or (turn\$3 adj off)) near1 power)	2
	L20
L19	
L17 and (automatic\$4 near2 (cut near1 power))	0
	L19
L18	
L17 and (infra adj red)	1
	L18
L17	
L15 and (light near2 source)	9

	L17	
L16	L15 and (((infra adj red) or IR) with (light near2 source))	
	0	
	L16	
L15	L14 and @pd<20001120	
	105	
	L15	
L14	((low adj voltage) near2 signal) and (cut\$5 near2 power)	
	139	
	L14	
L13	L12 and @pd<20001120	
	5	
	L13	
L12	((Zinc adj Selenide) with Ge with Si) and ((IR or (infra adj red)) near3 (window or dome))	
	8	
	L12	
L11	(Zinc adj Selenide) and ((IR or (infra adj red)) near3 (window or dome))	
	67	
	L11	
L10	L9 and ((infra adj red) or IR)	
	2	
	L10	
L9	((light adj emitting adj diode) or LED) with (cap near3 lens)	
	54	
	L9	
L8	L7 and @pd<20001120	
	4	
	L8	
L7	L2 and (light adj source)	
	6	
	L7	
L6	L5 and L2	
	0	
	L6	
L5	((infra adj red) or IR) with (light near2 source)	
	2456	
	L5	
L4	L3 and L2	
	0	
	L4	
L3	((infra adj red) or IR) with emitter	

1519

L3

L2

(filament near2 wire) with helix

61

L2

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L1

((infra adj red) near2 emitter) and ((filament near2 wire) with helix)

0

L1

END OF SEARCH HISTORY